



# PRO AUDIO VISUAL SOLUTIONS



# EXTENDERS

Comprehensive line of innovative range extension solutions for sending various signal types over long distances using twisted pair, fiber, or coax cables



**TP-580T**

- HDBaseT 1.0 transmitter
- Up to 70m (230ft) at 1080p
- Up to 40m (130ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

**₱22,849.68**

**TP-580R**

- HDBaseT 1.0 receiver
- Up to 70m (230ft) at 1080p
- Up to 40m (130ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

**₱22,849.68**

**TP-580TXR**

- HDBaseT 1.0 transmitter
- Up to 180m (590ft) at 1080p
- Up to 100m (330ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

**₱34,445.04**

**TP-580RXR**

- HDBaseT 1.0 receiver
- Up to 180m (590ft) at 1080p
- Up to 100m (330ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

**₱34,445.04**

# DISTRIBUTION AMPLIFIERS

Comprehensive line of innovative range extension solutions for sending various signal types over long distances using twisted pair, fiber, or coax cables



### VM-2H2

- 1:2 HDMI distributor
- Resolution – Up to 4K@60Hz (4:4:4)
- Bandwidth – Up to 17.82Gbps
- Compliance – HDR10, HDCP 2.2
- Simple, intelligent EDID operation
- Force RGB
- HDCP authorization control

**₱2,690.00**



### VM-3H2

- 1:3 HDMI distributor
- Resolution – Up to 4K@60Hz (4:4:4)
- Bandwidth – Up to 17.82Gbps
- Compliance – HDR10, HDCP 2.2
- Simple, intelligent EDID operation
- Force RGB
- HDCP authorization control

**₱4,860.00**



### VM-4H2

- 1:4 HDMI distributor
- Resolution – Up to 4K@60Hz (4:4:4)
- Bandwidth – Up to 17.82Gbps
- Compliance – HDR10, HDCP 2.2
- Simple, intelligent EDID operation
- Force RGB
- HDCP authorization control

**₱4,860.00**



### VM-8H

- Max. Data Rate – 6.75Gbps (2.25Gbps per graphic channel)
- HDCP Compliant
- Enhanced EDID

**₱4,860.00**



### VM-16H

- Max. Data Rate – 6.75Gbps (2.25Gbps per graphic channel)
- HDCP Compliant
- Enhanced EDID

**₱4,860.00**



# SWITCHERS & MATRICES

Multi-format switchers and matrices for simple switching of multiple audio, video, and co



### VS-211H2

- UP TO 18GBPS DATA RATE
- UP TO 4K@60HZ (4:4:4) RESOLUTION
- HDR AND HDCP 2.2 COMPLIANT

₱29,670.48



### VS-411X

- 4X1 PLUG AND PLAY SWITCHER
- UP TO 4K@60HZ (4:4:4) RESOLUTION
- AUDIO DE-EMBEDDING
- COMPACT

₱34,445.04



### VS-81H

- MAX. DATA RATE – 6.75GBPS (2.25GBPS PER GRAPHIC CHANNEL)
- HDCP COMPLIANT
- EQUALIZATION
- CONTROL – RS-232, ETHERNET & IR


₱71,959.44



### VM-161H | 16X1 HDMI SWITCHER

- Max. Data Rate – 4.95Gbps (1.65Gbps per graphic channel)
- HDCP Compliant
- Signal Equalization
- Control – RS-232, Ethernet & IR

₱0.00



### VSM-4X4X | 4X4 MATRIX SWITCHER, VIDEOWALL & MULTIVIEWER

- Modes – Seamless 4X4 matrix, video wall, multi-viewer (PIP(s), P&P(s), quad, etc)
- Bezel Correction – In video wall mode
- Max Resolutions – 4k60 4:4:4
- Built-in ProcAmp
- Control – RS-232, Ethernet

₱443,352.00

# WIRELESS PRESENTATION & COLLABORATION

VIA family of wired and wireless presentation and True-Collaboration™ solutions



## VIA GO

- CONNECT USING CONVENTIONAL WI-FI AND/OR LAN
- SUPPORTS WINDOWS™ AND MAC™ LAPTOPS, CHROMEBOOKS™, IOS™ AND ANDROID™ MOBILE OPERATING SYSTEMS
- TWO PARTICIPANTS CAN PRESENT SIMULTANEOUSLY

**₱47,063.52**



## VIA CONNECT

- WIRELESS CONTENT SHARING AND COLLABORATION APPLICATIONS
- OPTIMIZED FOR VIDEO CONFERENCING USING ROOM PERIPHERALS
- LOCAL VIDEO STREAMING OUTPUT TO LARGE DISPLAYS
- DIRECT RUN OF 3RD PARTY WEB APPLICATIONS
- WIRELESS SHARING FROM MIRACAST™ AND AIRPLAY™
- POWERFUL SECURITY FEATURES
- SWITCHED ENABLED WIRED INPUT
- CENTRALIZED CLOUD MANAGEMENT AND CONTROL

**₱101,288.88**



## VIA CAMPUS

- Compatible with leading operating systems
- Intuitive user interface
- 4K output and high-quality video streaming
- IOS and Android mirroring
- Direct run of 3rd party web applications
- Powerful security features
- Popular third-party app support
- Optimized for video conferencing

**₱197,803.20**



## VIA CAMPUS PLUS

- Compatible with leading operating systems
- Intuitive user interface
- 4K output and high-quality video streaming
- IOS and Android mirroring
- Powerful security features
- Popular third-party app support
- Direct run of 3rd party web applications
- Optimized for video conferencing

**₱238,728.00**

# UNIFIED COMMUNICATION SOLUTIONS



## K-180 MINI

- 12 MP CAMERAS AND 4K DEFINITION PROVIDE CLEAR, SHARP VIDEO
- AUTO-STITCHING OF SPLIT FRAMES ELIMINATES DISTORTION

₱41,606.88



## K-CAM4K

- 4K 60FPS CLEAR VIDEO
- 8.51 MEGAPIXEL CMOS IMAGE SENSOR
- ULTRA-LOW CMOS IMAGE SENSORS PLUS 2D AND 3D DNR TECHNOLOGY
- H.264

₱80,144.40



## K-SPEAK

- 360° OMNI-DIRECTION AUDIO PICKUP
- CONNECT VIA BLUETOOTH OR CABLE
- PLUG AND PLAY
- ECHO CANCELLATION
- WIRED AND WIRELESS CHARGING

₱14,323.68

# AV OVER IP

Explore Kramer AV's reliable AV over IP solutions for seamless video distribution. Experience superior connectivity and elevate your AV setup today



## KDS-EN7

- OUTSTANDING END-USER EXPERIENCE
- IDEAL FOR LARGE-SCALE DEPLOYMENTS
- ROBUST SECURITY
- SIMPLE PLANNING AND ROLLOUT

₱88,670.00



## KDS-DEC7

- OUTSTANDING END-USER EXPERIENCE
- IDEAL FOR LARGE-SCALE DEPLOYMENTS
- ROBUST SECURITY
- SIMPLE PLANNING AND ROLLOUT

₱88,670.00



## KDS-8

- USER CONFIGURED AS ENCODER OR DECODER
- MAX RESOLUTION – 4K@60HZ (4:4:4)
- FULLY STANDARD AND COMPLIANT SDVOE CODEC.
- STREAMING SUPPORT – MULTICAST, UNICAST.
- POWERED BY THE NETWORK (POE)
- VIDEO WALL AND MULTIVIEW SUPPORT
- MANAGED BY KDS-8-MNGR

₱144,601.00



## KDS-10

- STREAM USING EITHER H.264 OR H.265.
- TWO HDMI INPUTS.
- ANALOG AUDIO EMBEDDING AND DE-EMBEDDING.

₱204,283.00



# CONTROL & MANAGEMENT

Simple and comprehensive user control of room AV and automation systems with site and enterprise AV management



## SL-1N

- 2 Bidirectional RS-232 ports
- 2 IR emitter ports
- 3 relay ports
- 1 IR sensor and 1 IR input port for learning
- 1 Ethernet port
- 1 K-NET™ port
- K-Config™ programming software compatible
- Site-CTRL™ software compatible
- Supported by: K-Config Only
- Managed by Kramer Network

**₱23,532.00**



## SL-240C

- 4K 60fps clear video
- 8.51 megapixel CMOS image sensor
- Ultra-low CMOS image sensors plus 2D and 3D DNR technology
- H.264

**₱83,555.00**



## SL-280

- Supported by Kramer Control
- Scalable & flexible control
- Bidirectional RS-232 & IR with learning capability
- GPIO & relay control
- Supported by: Kramer Control Only

**₱131,641.00**



## KT-208

- 8" elegant, portable, high-quality touch panel
- Single Ethernet cable for connectivity & powering
- Advanced Wi-Fi connectivity options
- Flexible mounting options
- Supported by: Kramer Control

**₱132,324.00**



## KT-2010

- 10" elegant, portable, high-quality touch panel
- Single Ethernet cable for connectivity & powering
- Advanced Wi-Fi connectivity options
- Flexible mounting options
- Supported by: Kramer Control

**₱158,584.00**



